




# Angler's Invertebrate Monitoring Initiative

## Avington Backstream

SU 36645 68107



EA - Predicted level

12

EA - Trigger level

5

\* Estimated number is optional


Date	20/01/14	28/02/14	27/03/14	28/04/14	29/05/14	13/06/14							
Category	Estimated	Category	Estimated	Category	Estimated	Category	Estimated	Category					
(A - D)	Number*	(A - D)	Number*	(A - D)	Number*	(A - D)	Number*	(A - D)					
Cased caddis			A	4	A	5	A	1		0			
Caseless caddis			A	5	A	4	B	12	B	13			
Mayfly (Ephemeroidea)			A	5	A	1	A	5		0			
BWO (Ephemeroidea)				0	A	2	B	13	B	10			
Flat bodied (Heptageniidae)			A	3		0	A	1	A	1			
Olives (Baetidae)			B	19	B	20	C	120	C	300			
Stoneflies				0		0		0		0			
Freshwater shrimp			C	300	C	500	D	1000	C	1100			
<b>Total</b>				<b>9</b>		<b>9</b>		<b>14</b>		<b>11</b>			



# Angler's Invertebrate Monitoring Initiative

Avington Farm

SU 37153 67935



EA - Predicted level

12

EA - Trigger level

5


\* Estimated number is optional

Date	20/01/14		28/02/14		27/03/14		28/04/14		29/05/14		13/06/14			
	Category	Estimated	Category	Estimated	Category	Estimated	Category	Estimated	Category	Estimated	Category	Estimated	Category	Estimated
	(A - D)	Number*	(A - D)	Number*	(A - D)	Number*	(A - D)	Number*	(A - D)	Number*	(A - D)	Number*	(A - D)	Number*
<b>Target Groups:</b>							<b>A</b>	2	<b>A</b>	1	<b>A</b>	2		
Cased caddis							<b>B</b>	26	<b>B</b>	23	<b>B</b>	16		
Caseless caddis							<b>A</b>	1	<b>A</b>	5		0		
Mayfly (Ephemeroidea)							<b>A</b>	3	<b>B</b>	50	<b>B</b>	14		
BWO (Ephemeroidea)							<b>A</b>	4		0	<b>A</b>	2		
Flat bodied (Heptageniidae)							<b>B</b>	30	<b>B</b>	60	<b>C</b>	350		
Olives (Baetidae)								0		0		0		
Stoneflies							<b>C</b>	450	<b>C</b>	750	<b>D</b>	1000		
Freshwater shrimp														
<b>Total</b>							<b>11</b>		<b>11</b>		<b>13</b>			

# Angler's Invertebrate Monitoring Initiative

## Axford Priory – Below Rag's Hatches

SU 24573 70245



EA - Predicted level

12

EA - Trigger level

5


\* Estimated number is optional

Date	20/01/14		28/02/14		20/03/14		10/04/14		19/05/14		09/06/14			
	Category (A - D)	Estimated Number*	Category (A - D)	Estimated Number*	Category (A - D)	Estimated Number*	Category (A - D)	Estimated Number*	Category (A - D)	Estimated Number*	Category (A - D)	Estimated Number*	Category (A - D)	Estimated Number*
<b>Target Groups:</b>														
<b>Cased caddis</b>					A	8	A	1	A	1	A	3		
<b>Caseless caddis</b>					A	8	A	6	B	13	B	12		
<b>Mayfly (Ephemeroidea)</b>						0		0		0		0		
<b>BWO (Ephemerellidae)</b>					A	1	A	3	C	250	B	60		
<b>Flat bodied (Heptageniidae)</b>					A	7		0		0		0		
<b>Olives (Baetidae)</b>					A	9	B	28	C	100	C	190		
<b>Stoneflies</b>						0		0		0		0		
<b>Freshwater shrimp</b>					B	21	B	29	C	150	C	250		
<b>Total</b>						7		7		12		11		

# Angler's Invertebrate Monitoring Initiative

Axford Priory – The Bower

SU 24342 70146



EA - Predicted level

12

EA - Trigger level

5


\* Estimated number is optional

Date	20/01/14		28/02/14		20/03/14		10/04/14		19/05/14		09/06/14			
	Category (A - D)	Estimated Number*	Category (A - D)	Estimated Number*	Category (A - D)	Estimated Number*	Category (A - D)	Estimated Number*	Category (A - D)	Estimated Number*	Category (A - D)	Estimated Number*	Category (A - D)	Estimated Number*
<b>Target Groups:</b>							<b>B</b>	25	<b>B</b>	10	<b>B</b>	13		
Cased caddis							<b>A</b>	2	<b>A</b>	2	<b>A</b>	6		
Caseless caddis								0	<b>A</b>	1		0		
Mayfly (Ephemeroidea)							<b>B</b>	20	<b>B</b>	50	<b>B</b>	55		
BWO (Ephemerellidae)							<b>A</b>	2		0		0		
Flat bodied (Heptageniidae)							<b>B</b>	35	<b>B</b>	30	<b>B</b>	25		
Olives (Baetidae)								0	<b>A</b>	1		0		
Stoneflies							<b>B</b>	18	<b>B</b>	53	<b>C</b>	200		
Freshwater shrimp														
<b>Total</b>							<b>10</b>		<b>11</b>		<b>10</b>			



# Angler's Invertebrate Monitoring Initiative

Axford, Stone House



EA - Predicted level

12

EA - Trigger level

5


\* Estimated number is optional

Date	January too deep		February too deep		March too deep		April not done		10/05/14		28/06/14			
Category	Estimated	Category	Estimated	Category	Estimated	Category	Estimated	Category	Estimated	Category	Estimated	Category	Estimated	Category
(A - D)	Number*	(A - D)	Number*	(A - D)	Number*	(A - D)	Number*	(A - D)	Number*	(A - D)	Number*	(A - D)	Number*	(A - D)
Cased caddis								B	20	A	2			
Caseless caddis								A	5	A	3			
Mayfly (Ephemeroidea)									0		0			
BWO (Ephemeroidea)								B	40	B	50			
Flat bodied (Heptageniidae)								A	1		0			
Olives (Baetidae)								C	110	C	130			
Stoneflies									0		0			
Freshwater shrimp								C	125	B	25			
<b>Total</b>									<b>12</b>		<b>9</b>			



# Angler's Invertebrate Monitoring Initiative

## Bay Bridges



EA - Predicted level

12

EA - Trigger level

5

\* Estimated number is optional

Date	January too deep		February too deep		17/03/14		10/04/14		31/05/14		30/06/14			
	Category	Estimated Number*	Category	Estimated Number*	Category	Estimated Number*	Category	Estimated Number*	Category	Estimated Number*	Category	Estimated Number*	Category	Estimated Number*
	(A - D)		(A - D)		(A - D)		(A - D)		(A - D)		(A - D)		(A - D)	
					C	385	C	110	C	130	B	91		
						0	A	2		0	A	1		
						0		0		0		0		
					A	1	A	2	C	350	B	27		
						0		0		0		0		
						0	A	2	C	360	B	41		
						0		0		0		0		
					C	870	D	1350	D	1000	C	530		
<b>Total</b>						<b>7</b>		<b>10</b>		<b>13</b>		<b>10</b>		

**Target Groups:**


- Cased caddis
- Caseless caddis
- Mayfly (Ephemeroidea)
- BWO (Ephemeroidea)
- Flat bodied (Heptageniidae)
- Olives (Baetidae)
- Stoneflies
- Freshwater shrimp



# Angler's Invertebrate Monitoring Initiative

Chilton Foliat – Lower Main

SU 33046 69675



EA - Predicted level

12

EA - Trigger level

5

\* Estimated number is optional

**Target Groups:**

- Cased caddis
- Caseless caddis
- Mayfly (Ephemeroidea)
- BWO (Ephemeroidea)
- Flat bodied (Heptageniidae)
- Olives (Baetidae)
- Stoneflies
- Freshwater shrimp

Date

20/01/14		28/02/14		20/03/14		10/04/14		19/05/14		09/06/14					
Category	Estimated	Category	Estimated	Category	Estimated	Category	Estimated	Category	Estimated	Category	Estimated	Category	Estimated	Category	Estimated
(A - D)	Number*	(A - D)	Number*	(A - D)	Number*	(A - D)	Number*	(A - D)	Number*	(A - D)	Number*	(A - D)	Number*	(A - D)	Number*
						B	13	B	10	B	10				
						A	1		0	A	1				
						B	11	B	11	A	1				
						A	7	B	90	C	250				
							0		0	A	1				
						A	7	B	65	C	200				
							0		0		0				
						C	500	C	180	C	200				

Total

10

11


14



# Angler's Invertebrate Monitoring Initiative

Chilton Foliat – Lower Pump

SU 32904 70156



EA - Predicted level

12

EA - Trigger level

5

\* Estimated number is optional

**Target Groups:**

- Cased caddis
- Caseless caddis
- Mayfly (Ephemeroidea)
- BWO (Ephemeroidea)
- Flat bodied (Heptageniidae)
- Olives (Baetidae)
- Stoneflies
- Freshwater shrimp

Date

20/01/14		28/02/14		20/03/14		10/04/14		19/05/14		09/06/14					
Category	Estimated	Category	Estimated	Category	Estimated	Category	Estimated	Category	Estimated	Category	Estimated	Category	Estimated	Category	Estimated
(A - D)	Number*	(A - D)	Number*	(A - D)	Number*	(A - D)	Number*	(A - D)	Number*	(A - D)	Number*	(A - D)	Number*	(A - D)	Number*
				<b>B</b>	10	<b>B</b>	26	<b>B</b>	10	<b>B</b>	33				
				<b>A</b>	1		0	<b>A</b>	2	<b>A</b>	6				
				<b>A</b>	4	<b>A</b>	3	<b>A</b>	5		0				
					0	<b>A</b>	1	<b>B</b>	33	<b>B</b>	11				
					0	<b>A</b>	2	<b>A</b>	2		0				
				<b>A</b>	2	<b>B</b>	17	<b>B</b>	30	<b>B</b>	82				
					0		0		0		0				
				<b>C</b>	300	<b>C</b>	400	<b>C</b>	250	<b>C</b>	180				

Total

8

10

12


10



# Angler's Invertebrate Monitoring Initiative

Chilton Foliat – Upper Main

SU 32862 70001



EA - Predicted level  
EA - Trigger level

12
5


\* Estimated number is optional

Date	20/01/14		28/02/14		20/03/14		10/04/14		19/05/14		09/06/14			
	Category	Estimated	Category	Estimated	Category	Estimated	Category	Estimated	Category	Estimated	Category	Estimated	Category	Estimated
	(A - D)	Number*	(A - D)	Number*	(A - D)	Number*	(A - D)	Number*	(A - D)	Number*	(A - D)	Number*	(A - D)	Number*
<b>Target Groups:</b>					<b>B</b>	13	<b>B</b>	<b>14</b>	<b>A</b>	5	<b>B</b>	28		
Cased caddis						0	<b>A</b>	1	<b>A</b>	2	<b>A</b>	2		
Caseless caddis					<b>A</b>	1		0		0		0		
Mayfly (Ephemeroidea)						0	<b>A</b>	5	<b>B</b>	76	<b>B</b>	23		
BWO (Ephemeroidea)					<b>A</b>	1	<b>A</b>	<b>1</b>		0		0		
Flat bodied (Heptageniidae)					<b>A</b>	4	<b>B</b>	15	<b>B</b>	83	<b>C</b>	175		
Olives (Baetidae)						0		0		0		0		
Stoneflies					<b>C</b>	200	<b>C</b>	300	<b>C</b>	400	<b>C</b>	370		
Freshwater shrimp														
<b>Total</b>					<b>8</b>		<b>10</b>		<b>9</b>		<b>11</b>			



# Angler's Invertebrate Monitoring Initiative

Clatford Arboretum, Near Marlborough.



EA - Predicted level

12

EA - Trigger level

5

\* Estimated number is optional

Date

January too deep		February too deep		March not done		15/04/13		01/06/14		26/06/14					
Category	Estimated	Category	Estimated	Category	Estimated	Category	Estimated	Category	Estimated	Category	Estimated	Category	Estimated	Category	Estimated
(A - D)	Number*	(A - D)	Number*	(A - D)	Number*	(A - D)	Number*	(A - D)	Number*	(A - D)	Number*	(A - D)	Number*	(A - D)	Number*
						<b>C</b>	230	<b>C</b>	200	<b>B</b>	25				
								<b>A</b>	1	<b>A</b>	6				
								<b>B</b>	30	<b>B</b>	65				
								<b>B</b>	28	<b>B</b>	63				
										<b>A</b>	4				
						<b>D</b>	2000	<b>D</b>	1300+	<b>C</b>	980				

**Target Groups:**

- Cased caddis
- Caseless caddis
- Mayfly (Ephemeroidea)
- BWO (Ephemeroidea)
- Flat bodied (Heptageniidae)
- Olives (Baetidae)
- Stoneflies
- Freshwater shrimp

Total

7


12

11



# Angler's Invertebrate Monitoring Initiative

## Cooper's Meadow, Marlborough



EA - Predicted level

12

EA - Trigger level

5

\* Estimated number is optional


Date	January too deep		February too deep		26/03/14		30/04/14		30/05/14		30/06/14			
	Category	Estimated Number*	Category	Estimated Number*	Category	Estimated Number*	Category	Estimated Number*	Category	Estimated Number*	Category	Estimated Number*	Category	Estimated Number*
	(A - D)		(A - D)		(A - D)		(A - D)		(A - D)		(A - D)		(A - D)	
<b>Target Groups:</b>					<b>C</b>	179	<b>C</b>	184	<b>C</b>	130	<b>B</b>	30		
Cased caddis					<b>A</b>	4	<b>B</b>	16	<b>B</b>	14	<b>B</b>	14		
Caseless caddis						0		0		0		0		
Mayfly (Ephemeroidea)					<b>A</b>	9	<b>C</b>	300	<b>C</b>	348	<b>C</b>	182		
BWO (Ephemeroidea)						0		0		0		0		
Flat bodied (Heptageniidae)					<b>B</b>	61	<b>B</b>	21	<b>C</b>	114	<b>C</b>	113		
Olives (Baetidae)						0	<b>A</b>	4	<b>B</b>	41	<b>B</b>	21		
Stoneflies					<b>D</b>	1230	<b>D</b>	1750	<b>D</b>	2186	<b>C</b>	690		
Freshwater shrimp														
<b>Total</b>					<b>11</b>		<b>15</b>		<b>17</b>		<b>15</b>			



# Angler's Invertebrate Monitoring Initiative

Denford, Beat 1

SU 35647 68234



EA - Predicted level

12

EA - Trigger level

5

\* Estimated number is optional


Date	20/01/14		28/02/14		27/03/14		28/04/14		29/05/14		13/06/14			
	Category	Estimated	Category	Estimated	Category	Estimated	Category	Estimated	Category	Estimated	Category	Estimated	Category	Estimated
	(A - D)	Number*	(A - D)	Number*	(A - D)	Number*	(A - D)	Number*	(A - D)	Number*	(A - D)	Number*	(A - D)	Number*
<b>Target Groups:</b>							<b>B</b>	10	<b>B</b>	10	<b>A</b>	5		
Cased caddis							<b>A</b>	6	<b>A</b>	9	<b>A</b>	2		
Caseless caddis							<b>A</b>	4	<b>A</b>	5	<b>A</b>	3		
Mayfly (Ephemeroidea)							<b>A</b>	5	<b>B</b>	43	<b>B</b>	60		
BWO (Ephemeroidea)								0	<b>A</b>	1	<b>A</b>	1		
Flat bodied (Heptageniidae)							<b>B</b>	80	<b>C</b>	120	<b>B</b>	50		
Olives (Baetidae)								0		0		0		
Stoneflies							<b>C</b>	505	<b>C</b>	150	<b>C</b>	150		
Freshwater shrimp														
<b>Total</b>							<b>10</b>		<b>13</b>		<b>11</b>			



# Angler's Invertebrate Monitoring Initiative

Denford, Upper Hut Sidestream

SU 35530 68436



EA - Predicted level

12

EA - Trigger level

5


\* Estimated number is optional

Date	20/01/14	28/02/14	27/03/14	28/04/14	29/05/14	13/06/14							
Category	Estimated	Category	Estimated	Category	Estimated	Category	Estimated	Category					
(A - D)	Number*	(A - D)	Number*	(A - D)	Number*	(A - D)	Number*	(A - D)					
Cased caddis			A	4	A	4	B	11	A	4			
Caseless caddis			A	5	A	6	A	8	B	10			
Mayfly (Ephemeroidea)			B	14	A	4	B	11	A	6			
BWO (Ephemerellidae)				0	A	3	B	10	B	10			
Flat bodied (Heptageniidae)			A	1	B	14	A	4	A	2			
Olives (Baetidae)			B	10	B	19	C	110	B	50			
Stoneflies				0		0		0		0			
Freshwater shrimp			C	100	C	450	C	260	C	550			
<b>Total</b>				<b>10</b>		<b>11</b>		<b>14</b>		<b>12</b>			



# Angler's Invertebrate Monitoring Initiative

## Elcot Mill



EA - Predicted level

12

EA - Trigger level

5

\* Estimated number is optional

Date	January too deep		February too deep		March too deep		07/04/14		05/05/14		02/06/14			
	Category	Estimated Number*	Category	Estimated Number*	Category	Estimated Number*	Category	Estimated Number*	Category	Estimated Number*	Category	Estimated Number*	Category	Estimated Number*
	(A - D)		(A - D)		(A - D)		(A - D)		(A - D)		(A - D)		(A - D)	
							<b>B</b>	14	<b>B</b>	20	<b>A</b>	1		
							<b>A</b>	7	<b>B</b>	10	<b>A</b>	7		
								0		0		0		
							<b>B</b>	14	<b>B</b>	41	<b>B</b>	44		
								0		0		0		
							<b>A</b>	7	<b>B</b>	24	<b>B</b>	50		
								0		0	<b>A</b>	2		
							<b>C</b>	300	<b>C</b>	480	<b>C</b>	370		
<b>Total</b>							<b>9</b>		<b>11</b>		<b>10</b>			


**Target Groups:**

- Cased caddis
- Caseless caddis
- Mayfly (Ephemeroidea)
- BWO (Ephemeroidea)
- Flat bodied (Heptageniidae)
- Olives (Baetidae)
- Stoneflies
- Freshwater shrimp



# Angler's Invertebrate Monitoring Initiative

Kintbury, Barton Holt.



EA - Predicted level

12

EA - Trigger level

5

\* Estimated number is optional


	20/01/14		28/02/14		27/03/14		30/04/14		28/05/15		11/06/14			
	Category	Estimated	Category	Estimated	Category	Estimated	Category	Estimated	Category	Estimated	Category	Estimated	Category	Estimated
	(A - D)	Number*	(A - D)	Number*	(A - D)	Number*	(A - D)	Number*	(A - D)	Number*	(A - D)	Number*	(A - D)	Number*
<b>Target Groups:</b>							<b>B</b>	42	<b>A</b>	2	<b>A</b>	3		
Cased caddis							<b>A</b>	6	<b>B</b>	11	<b>A</b>	4		
Caseless caddis							<b>C</b>	110	<b>B</b>	56	<b>B</b>	14		
Mayfly (Ephemeroidea)							<b>A</b>	2	<b>B</b>	23	<b>A</b>	5		
BWO (Ephemeroidea)							<b>A</b>	1		0		0		
Flat bodied (Heptageniidae)							<b>B</b>	20	<b>B</b>	22	<b>B</b>	15		
Olives (Baetidae)								0		0		0		
Stoneflies							<b>C</b>	600	<b>C</b>	300	<b>C</b>	400		
Freshwater shrimp														
<b>Total</b>							<b>13</b>		<b>12</b>		<b>10</b>			



# Angler's Invertebrate Monitoring Initiative

Kintbury – Down of the Fishing Hut

SU 39626 67772



EA - Predicted level

12

EA - Trigger level

5

\* Estimated number is optional


Date	20/01/14		28/02/14		27/03/14		30/04/14		28/05/14		11/06/14			
	Category	Estimated Number*	Category	Estimated Number*	Category	Estimated Number*	Category	Estimated Number*	Category	Estimated Number*	Category	Estimated Number*	Category	Estimated Number*
<b>Target Groups:</b>	(A - D)		(A - D)		(A - D)		(A - D)		(A - D)		(A - D)		(A - D)	
Cased caddis					A	5	A	2	A	4	A	6		
Caseless caddis					A	5	A	6	B	12	A	5		
Mayfly (Ephemeroidea)					B	16	A	8	B	10	A	4		
BWO (Ephemeroidea)						0	A	7	B	13	A	7		
Flat bodied (Heptageniidae)						0	A	1	A	1	A	1		
Olives (Baetidae)					C	122	C	160	C	160	B	50		
Stoneflies						0		0		0		0		
Freshwater shrimp					C	350	C	470	D	1200	C	750		
<b>Total</b>					<b>10</b>		<b>11</b>		<b>15</b>		<b>10</b>			



# Angler's Invertebrate Monitoring Initiative

Littlecote – Wooden Bridge

SU 31361 70445



EA - Predicted level

12

EA - Trigger level

5

\* Estimated number is optional


Date	20/01/14		28/02/14		25/03/14		17/04/14		23/05/14		12/06/14			
	Category	Estimated	Category	Estimated	Category	Estimated	Category	Estimated	Category	Estimated	Category	Estimated	Category	Estimated
						Number*	(A - D)	Number*	(A - D)	Number*	(A - D)	Number*	(A - D)	(A - D)
Caseless caddis					B	10	A	1	A	1	A	6		
Mayfly (Ephemeroidea)						0		0		0		0		
BWO (Ephemeroidea)						0	A	4	B	60	B	20		
Flat bodied (Heptageniidae)					A	7	B	12	B	14	A	1		
Olives (Baetidae)					A	9	B	34	C	100	C	400		
Stoneflies						0		0		0		0		
Freshwater shrimp					C	250	C	450	C	400	C	400		
<b>Total</b>						<b>7</b>		<b>10</b>		<b>12</b>		<b>11</b>		



# Angler's Invertebrate Monitoring Initiative

Littlecote – Upper Weir

SU 29535 71023



EA - Predicted level

12

EA - Trigger level

5

\* Estimated number is optional


	20/01/14		28/02/14		25/03/14		17/04/14		23/05/14		12/06/14			
	Category (A - D)	Estimated Number*	Category (A - D)	Estimated Number*	Category (A - D)	Estimated Number*	Category (A - D)	Estimated Number*	Category (A - D)	Estimated Number*	Category (A - D)	Estimated Number*	Category (A - D)	Estimated Number*
<b>Target Groups:</b>														
Cased caddis							<b>B</b>	12	<b>A</b>	2	<b>A</b>	4		
Caseless caddis							<b>A</b>	4	<b>A</b>	3	<b>A</b>	1		
Mayfly (Ephemeroidea)							0		0		0			
BWO (Ephemeroidea)							<b>B</b>	12	<b>B</b>	92	<b>C</b>	250		
Flat bodied (Heptageniidae)							<b>A</b>	3	<b>A</b>	1	<b>A</b>	3		
Olives (Baetidae)							<b>B</b>	32	<b>B</b>	80	<b>C</b>	500		
Stoneflies							0		0		0			
Freshwater shrimp							<b>C</b>	250	<b>C</b>	250	<b>C</b>	400		
<b>Total</b>							<b>11</b>		<b>10</b>		<b>12</b>			





# Angler's Invertebrate Monitoring Initiative

Manton, near Marlborough.



EA - Predicted level

12

EA - Trigger level

5

\* Estimated number is optional

Date	January too deep		February too deep		31/03/14		30/04/14		31/05/14		26/06/14			
	Category	Estimated Number*	Category	Estimated Number*	Category	Estimated Number*	Category	Estimated Number*	Category	Estimated Number*	Category	Estimated Number*	Category	Estimated Number*
	(A - D)		(A - D)		(A - D)		(A - D)		(A - D)		(A - D)		(A - D)	
					<b>A</b>	64	<b>C</b>	100	<b>B</b>	75	<b>B</b>	35		
					<b>B</b>	3	<b>A</b>	7	<b>B</b>	11	<b>A</b>	7		
						0		0		0		0		
					<b>A</b>	8	<b>C</b>	130	<b>C</b>	200	<b>B</b>	51		
						0		0		0		0		
					<b>B</b>	73	<b>A</b>	6	<b>B</b>	63	<b>B</b>	56		
						0		0	<b>A</b>	3		0		
					<b>D</b>	1100	<b>D</b>	1300	<b>D</b>	1730	<b>D</b>	1320		
<b>Total</b>					<b>10</b>		<b>12</b>		<b>14</b>		<b>11</b>			


**Target Groups:**

- Cased caddis
- Caseless caddis
- Mayfly (Ephemeroidea)
- BWO (Ephemeroidea)
- Flat bodied (Heptageniidae)
- Olives (Baetidae)
- Stoneflies
- Freshwater shrimp



# Angler's Invertebrate Monitoring Initiative

## Marlborough College



EA - Predicted level

12

EA - Trigger level

5

\* Estimated number is optional

Date	January too deep		February too deep		March no results		April 2014		May 2014		27/06/14			
	Category	Estimated Number*	Category	Estimated Number*	Category	Estimated Number*	Category	Estimated Number*	Category	Estimated Number*	Category	Estimated Number*	Category	Estimated Number*
	(A - D)		(A - D)		(A - D)		(A - D)		(A - D)		(A - D)		(A - D)	
							<b>B</b>	13	<b>B</b>	28	<b>B</b>	15		
								0		0		0		
								0		0		0		
							<b>B</b>	75	<b>C</b>	166	<b>B</b>	60		
								0		0		0		
							<b>B</b>	59	<b>C</b>	154	<b>C</b>	163		
							<b>B</b>	32	<b>B</b>	43	<b>B</b>	15		
							<b>C</b>	260	<b>C</b>	451	<b>C</b>	348		
<b>Total</b>							<b>11</b>		<b>13</b>		<b>12</b>			

**Target Groups:**

- Cased caddis
- Caseless caddis
- Mayfly (Ephemeroidea)
- BWO (Ephemerellidae)
- Flat bodied (Heptageniidae)
- Olives (Baetidae)
- Stoneflies
- Freshwater shrimp








# Angler's Invertebrate Monitoring Initiative

## Minal



EA - Predicted level

12

EA - Trigger level

5


\* Estimated number is optional

Date	25/08/12		January too deep		February too deep		March not monitored		21/04/14		16/05/14		13/06/14		Category
	Category	Estimated	Category	Estimated	Category	Estimated	Category	Estimated	Category	Estimated	Category	Estimated	Category	Estimated	
	(A - D)	Number*	(A - D)	Number*	(A - D)	Number*	(A - D)	Number*	(A - D)	Number*	(A - D)	Number*	(A - D)	Number*	(A - D)
Target Groups:									B	30	B	20	B	15	
Cased caddis									A	3	A	1	B	11	
Caseless caddis										0		0		0	
Mayfly (Ephemeroidea)									B	20	C	100	B	50	
BWO (Ephemeroidea)										0		0		0	
Flat bodied (Heptageniidae)									B	50	B	50	B	50	
Olives (Baetidae)										0		0		0	
Stoneflies															
Freshwater shrimp									C	100	C	500	C	500	
<b>Total</b>									<b>10</b>		<b>11</b>		<b>11</b>		



# Angler's Invertebrate Monitoring Initiative

## Poulton Footbridge



EA - Predicted level

12

EA - Trigger level

5

\* Estimated number is optional


Date	January too deep		February too deep		March too deep		April grayling spawning		May grayling redds		21/06/14			
	Category	Estimated Number*	Category	Estimated Number*	Category	Estimated Number*	Category	Estimated Number*	Category	Estimated Number*	Category	Estimated Number*	Category	Estimated Number*
	(A - D)		(A - D)		(A - D)		(A - D)		(A - D)		(A - D)		(A - D)	
<b>Target Groups:</b>														
Cased caddis														
Caseless caddis														
Mayfly (Ephemeroidea)														
BWO (Ephemeroidea)														
Flat bodied (Heptageniidae)														
Olives (Baetidae)														
Stoneflies														
Freshwater shrimp														
<b>Total</b>														

10



# Angler's Invertebrate Monitoring Initiative

## Ramsbury South of Kennett Triangle



EA - Predicted level  
EA - Trigger level

12
5


\* Estimated number is optional

Date	30/12/2014		27/02/14		31/03/14		22/04/14		28/05/14		26/06/14			
	Category (A - D)	Estimated Number*	Category (A - D)	Estimated Number*	Category (A - D)	Estimated Number*	Category (A - D)	Estimated Number*	Category (A - D)	Estimated Number*	Category (A - D)	Estimated Number*	Category (A - D)	Estimated Number*
<b>Target Groups:</b>														
Cased caddis		0		0	<b>B</b>	13	<b>C</b>	108	<b>B</b>	10	<b>A</b>	1		
Caseless caddis		0		0	<b>A</b>	1	<b>A</b>	5	<b>A</b>	1		0		
Mayfly (Ephemeroidea)		0		0		0		0		0		0		
BWO (Ephemerellidae)		0		0	<b>A</b>	1	<b>A</b>	5		0		0		
Flat bodied (Heptageniidae)		0		0	<b>A</b>	1		0	<b>A</b>	3		0		
Olives (Baetidae)		0		0	<b>B</b>	50	<b>B</b>	36	<b>A</b>	8		0		
Stoneflies		0		0		0		0				0		
Freshwater shrimp		0		0	<b>B</b>	30	<b>B</b>	50	<b>B</b>	15	<b>B</b>	12		
<b>Total</b>					<b>9</b>		<b>9</b>		<b>7</b>		<b>3</b>			



# Angler's Invertebrate Monitoring Initiative

## Ramsbury North of Kennett Triangle



EA - Predicted level

12

EA - Trigger level

5


\* Estimated number is optional

Date	30/01/2014		27/02/14		31/03/2014		22/04/14		28/05/14		26/06/14			
	Category	Estimated Number*	Category	Estimated Number*	Category	Estimated Number*	Category	Estimated Number*	Category	Estimated Number*	Category	Estimated Number*	Category	Estimated Number*
<b>Target Groups:</b>	(A - D)		(A - D)		(A - D)		(A - D)		(A - D)		(A - D)		(A - D)	
Cased caddis		0		0	<b>C</b>	150	<b>C</b>	100	<b>C</b>	120	<b>B</b>	90		
Caseless caddis		0		0	<b>B</b>	17	<b>C</b>	150	<b>C</b>	100	<b>B</b>	20		
Mayfly (Ephemeroidea)		0		0	<b>A</b>	8	<b>B</b>	11	<b>A</b>	2		0		
BWO (Ephemerellidae)		0		0		0	<b>B</b>	20	<b>C</b>	125	<b>B</b>	60		
Flat bodied (Heptageniidae)		0		0	<b>A</b>	1	<b>B</b>	20	<b>B</b>	50		0		
Olives (Baetidae)		0		0	<b>B</b>	50	<b>C</b>	160	<b>C</b>	125	<b>C</b>	260		
Stoneflies		0		0	<b>A</b>	1	<b>A</b>	2		0		0		
Freshwater shrimp		0		0	<b>C</b>	100	<b>C</b>	160	<b>B</b>	80	<b>C</b>	120		
<b>Total</b>						<b>13</b>		<b>19</b>		<b>17</b>		<b>12</b>		



# Angler's Invertebrate Monitoring Initiative

## Stonebridge Lane, Marlborough



EA - Predicted level

12

EA - Trigger level

5

\* Estimated number is optional

	Date		January too deep		February too deep		22/03/14		30/04/14		29/05/14		28/06/14		
	Category	Estimated	Category	Estimated	Category	Estimated	Category	Estimated	Category	Estimated	Category	Estimated	Category	Estimated	Category
	(A - D)	Number*	(A - D)	Number*	(A - D)	Number*	(A - D)	Number*	(A - D)	Number*	(A - D)	Number*	(A - D)	Number*	(A - D)
<b>Target Groups:</b>					<b>C</b>	108	<b>C</b>	130	<b>B</b>	55	<b>B</b>	17			
Cased caddis					<b>A</b>	3	<b>A</b>	5	<b>A</b>	4	<b>A</b>	4			
Caseless caddis						0		0		0		0			
Mayfly (Ephemeroidea)					<b>A</b>	6	<b>C</b>	309	<b>C</b>	389	<b>B</b>	41			
BWO (Ephemeroidea)						0		0		0		0			
Flat bodied (Heptageniidae)					<b>B</b>	23	<b>A</b>	8	<b>C</b>	126	<b>B</b>	64			
Olives (Baetidae)						0		0	<b>A</b>	2	<b>A</b>	2			
Stoneflies					<b>D</b>	1095	<b>D</b>	3000	<b>D</b>	2360	<b>D</b>	2980			
Freshwater shrimp															
<b>Total</b>					<b>11</b>		<b>12</b>		<b>14</b>		<b>12</b>				